


**OS reference:** 339259 E 651900 N  
**Eye level:** 403.6m AOD  
**Direction of view:** 207°  
**Nearest turbine:** 5.05 km

**Horizontal field of view:** 90° (cylindrical projection)  
**Principal distance:** 522 mm  
**Paper size:** 841 x 297 mm (half A1)  
**Correct printed image size:** 820 x 130 mm

**Camera:** Canon EOS 6D Mark II  
**Lens:** EF50mm f/1.4 USM  
**Camera height:** 1.5 m AGL

**Figure: 7:13a**  
**Cumulative Wireline: Corsehope Rings (SM1166)**





OS reference: 339259 E 651900 N  
 Eye level: 403.6m AOD  
 Direction of view: 297°  
 Nearest turbine: 5.05 km

Horizontal field of view: 90° (cylindrical projection)  
 Principal distance: 522 mm  
 Paper size: 841 x 297 mm (half A1)  
 Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D Mark II  
 Lens: EF50mm f/1.4 USM  
 Camera height: 1.5 m AGL

Figure: 7:13b  
 Cumulative Wireline: Corsehope Rings (SM1166)






**OS reference:** 339259 E 651900 N  
**Eye level:** 403.6m AOD  
**Direction of view:** 117°  
**Nearest turbine:** 5.05 km

**Horizontal field of view:** 90° (cylindrical projection)  
**Principal distance:** 522 mm  
**Paper size:** 841 x 297 mm (half A1)  
**Correct printed image size:** 820 x 130 mm

**Camera:** Canon EOS 6D Mark II  
**Lens:** EF50mm f/1.4 USM  
**Camera height:** 1.5 m AGL

**Figure: 7:13d**  
**Cumulative Wireline: Corsehope Rings (SM1166)**



Wireline drawing

View flat at a comfortable arm's length

OS reference: 339259 E 651900 N  
 Eye level: 403.6m AOD  
 Direction of view: 297°  
 Nearest turbine: 5.05 km

Horizontal field of view: 53.5° (planar projection)  
 Principal distance: 812.5 mm  
 Paper size: 841 x 297 mm (half A1)  
 Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D  
 Lens: EF50mm f/1.4 USM  
 Camera height: 1.5 m AGL

Figure: 7:13e  
 Cumulative Wireline: Corsehope Rings (SM1166)